

```

1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Listings Style Test</title>
5     <meta charset="UTF-8">
6     <style>
7       /* CSS Test */
8       * {
9         padding: 0;
10        border: 0;
11        margin: 0;
12      }
13    </style>
14    <link rel="stylesheet" href="css/style.css" />
15  </head>
16  <header> hey </header>
17  <article> this is a article </article>
18  <body>
19    <!-- Paragraphs are fine -->
20    <div id="box">
21      <p>
22        Hello World
23      </p>
24      <p>Hello World</p>
25      <p id="test">Hello World</p>
26      <p></p>
27    </div>
28    <div>Test</div>
29    <!-- HTML script is not consistent -->
30    <script src="js/benchmark.js"></script>
31    <script>
32      function createSquare(x, y) {
33        // This is a comment.
34        var square = document.createElement('div');
35        square.style.width = square.style.height = '50px';
36        square.style.backgroundColor = 'blue';
37
38        /*
39         * This is another comment.
40         */
41        square.style.position = 'absolute';
42        square.style.left = x + 'px';
43        square.style.top = y + 'px';
44
45        var body = document.getElementsByTagName('body')[0];
46        body.appendChild(square);
47      };
48
49      // Please take a look at +=
50      window.addEventListener('mousedown', function(event) {
51        // German umlaut test: Berührungspunkt ermitteln
52        var x = event.touches[0].pageX;
53        var y = event.touches[0].pageY;
54        var lookAtThis += 1;

```

```
55     });
56     </script>
57 </body>
58 </html>
```

```
1
2 @media only screen and (min-width: 768px) and (max-width: 991px) {
3
4     #main {
5         width: 712px;
6         padding: 100px 28px 120px;
7     }
8
9     /* .mono {
10        font-size: 90%;
11    } */
12
13    .cssbtn a {
14        margin-top: 10px;
15        margin-bottom: 10px;
16        width: 60px;
17        height: 60px;
18        font-size: 28px;
19        line-height: 62px;
20    }
```

```
1 class TelegramRequestHandler(object):
2     def handle(self):
3         addr = self.client_address[0]           # Client IP-address
4         telgram = self.request.recv(1024)      # Recieve telgram
5         print "From: %s, Received: %s" % (addr, telgram)
6         return
```

```
1
2 @media only screen and (min-width: 768px) and (max-width: 991px) {
3
4     #main {
5         width: 712px;
6         padding: 100px 28px 120px;
7     }
8
9     /* .mono {
10        font-size: 90%;
11    } */
12
13    .cssbtn a {
14        margin-top: 10px;
15        margin-bottom: 10px;
16        width: 60px;
17        height: 60px;
18        font-size: 28px;
19        line-height: 62px;
```

